Sr No.	Item Title	Item Description	Item Quantity	Unit of Measure
1	Computer	CPU: 8th Generation Intel®Core™ i5 Processor or higher Motherboard & chipset: Suitable chipset for above mentioned processor-based motherboard-Intel B250 Bus Architecture: Integrated onboard graphics, Total 2 no's of PCI/PCIe slots, Memory: Min. 4 GB DDR4 @ 2400 MHz or higher RAM with 1 DIMM slot free. (Single Module Should be supplied) Hard disk: 500 GB or higher SATA hard disk with 7200 rpm Keyboard: USB or Ps/2 Two button scroll optical mouse with pad Ports: Total 4 USB port with at least 2 USB 3.0 port (min. 2 at front), VGA/HDMI/DP port, Microphone- Headphone OR Universal Audio Jack Networking features: Network Integrated Gigabit Ethernet controller O.S.: Pre-loaded Microsoft Windows 10 Professional licensed software with latest updates (Academic Edition – Under Shape the future Program, if available) Optical Drive: 8x or better Internal DVD Writer 18.5" or higher wide screen LED Backlit based TFT Monitor: 18.5" or higher wide screen LED Backlit based TFTs, Contrast Ratio - 1000:1 or better, Resolution - 1360 X 768 or better, TCO Displays 5.0 certified or better, Internal Speakers, Dust Cover for CPU, Monitor	4	No

	D	Charlet But to But to 1 111 for	4	
2	Projector	Short Throw Projector, Projector should be fit	1	No
		at a distance where it		
		should not create shadow / interference on		
		whiteboard while writing on		
		whiteboard during teaching process and also		
		should not create		
		disturbance on eyes of the teacher conducting		
		the class		
		Resolution 1024 x 768 or better		
		Brightness Minimum 3000 lumens at ANSI level		
		or higher		
		Contrast Ratio 2000:1 or above		
		Technology LCD /DLP		
		Lamp life hours in		
		Standard mode		
		Minimum 3000 hours or better		
		Zoom Facility/Focus Required		
		Key stone One way must		
		Mounting Ceiling & front		
		Remote Full function remote with battery		
		Power supply 240V AC, 50 Hz		
		Input Computer, Video (Optional), HDMI, Audio		
		In		
		Accessories		
		Ceiling Mount Kit - Ceiling mount kit for		
		Projector		
		Power cable, HDMI Cable, Audio Cable &		
		Video Cable with required		
		length		
		 Manual & CD, Professional Laser Pointer, 		
		Guide		
3	Wireless	1#10/100/1000Mbps RJ45 LAN Port.	1	No
	Device	Should be Highest Performing Access Point with		
		the latest 802.11ac standard,		
		IEEE wireless LAN standards shall supported		
		(802.11a/b/g/n/ac)		
		Support up to 30 concurrent users and should		
		support a minimum of 16 or		
		better SSIDs.,		
		Wireless AP, WDS Mode		
		113.000, 11.23 11.000		
4	Switches	24 port 10/100/1000 Mbps Auto sense	1	No
	JANICULES	manageable Switch	_	140
		Type of Switch : Managed		
		Technology: Non PoE		
		Number of 1G Copper Ports : 24		
		No. of 1 G SFP Port (Uplink): 2		
		Switching Capacity?Non Blocking : 20Gbps		
]			

IT-ITeS Specification

5	Cat 6 UTP cable	Cat 6 UTP cable Category Cat 6 Cable, 23?24 AWG, Solid Bare Electrolytic Grade Copper, UL / ETL Verified Cat 6 Cable Casing, Capping with all accessories along with cable laying. (including I/O, Patch cords etc)	1	No
6	Cramping tool	Standard size	2	No